

EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com


Aprilia RS660 Radiator Guard

Installation Instructions




Kit Contents PRN015267


- (A) 1 x Radiator Guard
- (B) 1 x Header Guard
- (C) 1 x Rubber Edging Strip (Cut to 50mm)
- (D) 2 x M5 x 10 Black Button Bolts
- (E) 6 x 3mm Neoprene Foam
- (F) 6 x Rubber Bung




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides



Repeat
Both Sides




Repeat
Both Sides





F


Locate round holes amongst hexagons.


Push Rubber Spacer through from the back of the guard so Hexagonal shape sits on the front face













Repeat
Both Sides




OEM PART

Repeat
Both Sides




OEM PART


Repeat
Both Sides




Reverse Stages

14 - 1











ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that dirt and debris have not become trapped between the guard and the radiator/oil cooler. Such dirt and debris would reduce the cooling efficiency of the radiator/oil cooler.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com